



## [CATALOGUE]

### DIN580 Eye Bolt





| d1  | d2   | d3   | d4   | h    | l    | ΦD   | WLL  |
|-----|------|------|------|------|------|------|------|
| mm  | mm   | mm   | mm   | mm   | mm   | mm   | kg   |
| M6  | 16   | 28   | 16   | 28   | 11   | 6    | 70   |
| M8  | 20   | 35   | 20   | 35   | 14   | 7.6  | 140  |
| M10 | 25   | 43.3 | 24.5 | 42.5 | 17   | 9.4  | 230  |
| M12 | 29   | 52   | 29   | 51   | 22   | 11.5 | 340  |
| M16 | 34   | 62.2 | 35   | 60   | 26.5 | 13.6 | 700  |
| M20 | 38.5 | 70.6 | 40   | 67   | 29.5 | 15.3 | 1200 |
| M24 | 50   | 90   | 50   | 89.5 | 37.5 | 20   | 1800 |
| M30 | 54   | 104  | 54   | 105  | 45   | 24   | 2600 |
| M36 | 75   | 126  | 70   | 126  | 54   | 28   | -    |

### DIN582 Eye Nut



| d1  | d2   | d3   | d4   | h    | ΦD   | WLL  |
|-----|------|------|------|------|------|------|
| mm  | mm   | mm   | mm   | mm   | mm   | kg   |
| M6  | 16   | 28   | 16   | 28   | 6    | 70   |
| M8  | 20   | 35   | 20   | 35   | 7.6  | 140  |
| M10 | 24.5 | 43.3 | 24.5 | 42.5 | 9.4  | 230  |
| M12 | 29   | 52   | 29   | 51.5 | 11.5 | 340  |
| M16 | 35   | 62.2 | 35   | 61.5 | 13.6 | 700  |
| M20 | 39   | 70.6 | 40   | 70.5 | 15.3 | 1200 |
| M24 | 49   | 90   | 50   | 88   | 20   | 1800 |
| M30 | 55   | 104  | 54   | 104  | 25   | 2600 |
| M36 | 75   | 126  | 70   | 126  | 28   | -    |

### JIS 1168 Eye Bolt




| d1  | d2   | d3   | d4   | h  | l    | ΦD  | WLL |
|-----|------|------|------|----|------|-----|-----|
| mm  | mm   | mm   | mm   | mm | mm   | mm  | Kg  |
| M6  | 12   | 26.5 | 16.5 | 25 | 14   | 5   | 50  |
| M8  | 15   | 31.4 | 20   | 32 | 15   | 5.7 | 80  |
| M10 | 19   | 39   | 25   | 40 | 18   | 7   | 150 |
| M12 | 22.5 | 48   | 30   | 48 | 21   | 9   | 220 |
| M16 | 28   | 58   | 36   | 60 | 27.5 | 11  | 450 |
| M20 | 32   | 70   | 40   | 70 | 31   | 15  | 630 |
| M24 | 41   | 86   | 50   | 86 | 36   | 18  | 950 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

## JIS 1169 Eye Nut




| d1  | d2   | d3   | d4   | h+e+d | ΦD  | WLL |
|-----|------|------|------|-------|-----|-----|
| mm  | mm   | mm   | mm   | mm    | mm  | Kg  |
| M6  | 12   | 26.5 | 16.5 | 31    | 5   | 50  |
| M8  | 15   | 31.4 | 20   | 39    | 5.7 | 80  |
| M10 | 19   | 39   | 25   | 47.5  | 7   | 150 |
| M12 | 22.5 | 48   | 30   | 57.5  | 9   | 220 |
| M16 | 28   | 58   | 36   | 69    | 11  | 450 |
| M20 | 32   | 70   | 40   | 79    | 15  | 630 |
| M24 | 41   | 86   | 50   | 102   | 18  | 950 |

## Triangle Eye Bolt



| Size(A) | ΦB | C   | D   | E  | ΦF |
|---------|----|-----|-----|----|----|
| mm      | mm | mm  | mm  | mm | mm |
| M10     | 8  | 60  | 47  | 12 | 20 |
| M12     | 10 | 65  | 52  | 15 | 23 |
| M14     | 10 | 66  | 52  | 15 | 23 |
| M16     | 12 | 75  | 60  | 18 | 29 |
| M18     | 12 | 75  | 60  | 18 | 29 |
| M20     | 13 | 85  | 71  | 22 | 35 |
| M24     | 14 | 97  | 83  | 26 | 45 |
| M30     | 16 | 110 | 120 | 35 | 59 |

## Swing Eye Bolt




| Size(A) | B  | D  | d  | S  | L      |
|---------|----|----|----|----|--------|
| mm      | mm | mm | mm | mm | mm     |
| M4      | 14 | 8  | 3  | 5  | 20-35  |
| M5      | 16 | 10 | 4  | 6  | 25-45  |
| M6      | 18 | 12 | 5  | 8  | 30-50  |
| M8      | 22 | 14 | 6  | 10 | 35-70  |
| M10     | 26 | 18 | 8  | 12 | 40-110 |
| M12     | 30 | 20 | 10 | 14 | 50-130 |
| M16     | 38 | 28 | 12 | 18 | 60-160 |
| M20     | 52 | 34 | 16 | 22 | 70-180 |
| M24     | 60 | 42 | 20 | 26 | 90-260 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

**Fork & Fork End Swivel**




| Size(ΦS) | C  | D  | E    | L   | WLL  |
|----------|----|----|------|-----|------|
| mm       | mm |    | mm   | mm  | kg   |
| 4        | 10 | 5  | 8    | 48  | 80   |
| 5        | 11 | 5  | 10.5 | 60  | 100  |
| 6        | 12 | 6  | 12   | 67  | 150  |
| 8        | 17 | 8  | 17   | 88  | 300  |
| 10       | 20 | 10 | 21   | 107 | 500  |
| 12       | 22 | 12 | 25   | 125 | 1000 |
| 13       | 28 | 13 | 26   | 152 | 1000 |
| 16       | 39 | 16 | 33   | 180 | 1500 |
| 20       | 41 | 20 | 46   | 228 | 2000 |
| 22       | 47 | 22 | 52   | 254 | /    |

**Eye & Eye End Swivel**



| Size | A    | B  | C  | D  | E    | L   | WLL  |
|------|------|----|----|----|------|-----|------|
| mm   | mm   | mm | mm | mm | mm   | mm  | kg   |
| 4    | 3.8  | 10 | 11 | 4  | 8    | 48  | 80   |
| 5    | 4.8  | 14 | 11 | 5  | 10.5 | 60  | 100  |
| 6    | 5.5  | 17 | 12 | 6  | 12   | 67  | 150  |
| 8    | 7.3  | 21 | 17 | 8  | 17   | 88  | 300  |
| 10   | 9.2  | 26 | 20 | 10 | 21   | 107 | 500  |
| 12   | 11   | 27 | 22 | 12 | 25   | 125 | 1000 |
| 13   | 12.2 | 30 | 28 | 13 | 26   | 152 | 1000 |
| 16   | 15   | 44 | 39 | 16 | 33   | 180 | 1500 |
| 20   | 19   | 46 | 41 | 20 | 46   | 228 | 2000 |
| 22   | 20.5 | 52 | 47 | 22 | 52   | 254 | /    |

**Eye & Eye End Swivel**




| Size | S    | B  | C  | L   | WLL  |
|------|------|----|----|-----|------|
| mm   | mm   | mm | mm | mm  | kg   |
| 4    | 3.8  | 10 | 12 | 48  | 80   |
| 5    | 4.8  | 14 | 14 | 60  | 100  |
| 6    | 5.5  | 17 | 16 | 67  | 150  |
| 8    | 7.3  | 21 | 20 | 88  | 300  |
| 10   | 9.2  | 26 | 23 | 107 | 500  |
| 12   | 11   | 27 | 26 | 125 | 1000 |
| 13   | 12.2 | 30 | 28 | 152 | 1000 |
| 16   | 15   | 44 | 38 | 180 | 1500 |
| 20   | 19   | 46 | 41 | 228 | 2000 |
| 22   | 20.5 | 52 | 47 | 254 | /    |

# SHANGHAI OUXIAN TRADING CO.,LTD



sales@sh-ouxian.com

## European D Shackle




| Size(M) | C    | H   | W  | D  | WLL  |
|---------|------|-----|----|----|------|
| mm      | mm   | mm  | mm | mm | kg   |
| M4      | 4    | 16  | 8  | 8  | 60   |
| M5      | 5    | 20  | 10 | 10 | 80   |
| M6      | 6    | 24  | 12 | 12 | 100  |
| M8      | 8    | 32  | 16 | 16 | 200  |
| M10     | 10   | 40  | 20 | 20 | 320  |
| M12     | 12   | 48  | 24 | 24 | 520  |
| M14     | 13.5 | 56  | 28 | 28 | 700  |
| M16     | 16   | 64  | 32 | 32 | 800  |
| M20     | 19   | 80  | 40 | 40 | 1100 |
| M22     | 21   | 90  | 44 | 44 | 1500 |
| M24     | 24   | 96  | 48 | 48 | 2100 |
| M28     | 28   | 112 | 56 | 56 | 3000 |

## European Bow Shackle



| Size(M) | C  | H   | W  | F    | D  | WLL  |
|---------|----|-----|----|------|----|------|
| mm      | mm | mm  | mm | mm   | mm | kg   |
| M4      | 4  | 16  | 8  | 12   | 8  | 60   |
| M5      | 5  | 20  | 10 | 17   | 10 | 80   |
| M6      | 6  | 24  | 12 | 20   | 12 | 100  |
| M8      | 8  | 32  | 16 | 27   | 16 | 200  |
| M10     | 10 | 40  | 20 | 33   | 20 | 320  |
| M12     | 12 | 48  | 24 | 39   | 24 | 520  |
| M14     | 14 | 56  | 28 | 46.5 | 28 | 700  |
| M16     | 16 | 64  | 32 | 52.5 | 32 | 800  |
| M20     | 20 | 80  | 40 | 65   | 40 | 1100 |
| M22     | 22 | 90  | 44 | 76   | 44 | 1500 |
| M24     | 24 | 96  | 48 | 79.5 | 48 | 2100 |
| M28     | 28 | 112 | 56 | 89   | 56 | 3000 |

## JIS D Shackle




| Size(M) | C  | H    | W  | D  | WLL  |
|---------|----|------|----|----|------|
| mm      | mm | mm   | mm | mm | kg   |
| M4      | 4  | 14   | 8  | 8  | 60   |
| M5      | 5  | 17.5 | 10 | 10 | 80   |
| M6      | 6  | 21   | 12 | 12 | 100  |
| M8      | 8  | 28   | 16 | 16 | 200  |
| M10     | 10 | 35   | 20 | 20 | 320  |
| M12     | 12 | 45.5 | 24 | 24 | 520  |
| M14     | 14 | 49   | 28 | 28 | 700  |
| M16     | 16 | 56   | 32 | 32 | 800  |
| M20     | 20 | 70   | 40 | 40 | 1100 |
| M22     | 22 | 77   | 44 | 44 | 1500 |
| M24     | 24 | 84   | 48 | 48 | 2100 |
| M28     | 28 | 98   | 56 | 56 | 3000 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

## US Type Bow Shackle




| Size  | M    | C    | W    | H    | D    | WLL   |
|-------|------|------|------|------|------|-------|
| inch  | inch | inch | inch | inch | inch | Kg    |
| 3/16  | 0.25 | 0.19 | 0.38 | 0.75 | 0.56 | 350   |
| 1/4   | 0.31 | 0.25 | 0.47 | 0.88 | 0.61 | 500   |
| 5/16  | 0.38 | 0.31 | 0.53 | 1.03 | 0.75 | 750   |
| 3/8   | 0.44 | 0.38 | 0.66 | 1.25 | 0.91 | 1000  |
| 7/16  | 0.5  | 0.44 | 0.75 | 1.44 | 1.06 | 1500  |
| 1/2   | 0.62 | 0.5  | 0.81 | 1.63 | 1.19 | 2000  |
| 5/8   | 0.75 | 0.62 | 1.06 | 2    | 1.5  | 3250  |
| 3/4   | 0.88 | 0.75 | 1.25 | 2.38 | 1.81 | 4750  |
| 7/8   | 1    | 0.88 | 1.44 | 2.81 | 2.09 | 6500  |
| 1     | 1.13 | 1    | 1.69 | 3.19 | 2.38 | 8500  |
| 1-1/8 | 1.25 | 1.13 | 1.81 | 3.58 | 2.69 | 9500  |
| 1-1/4 | 1.38 | 1.25 | 2.03 | 3.94 | 3    | 12000 |
| 1-3/8 | 1.5  | 1.38 | 2.25 | 4.38 | 3.31 | 13500 |
| 1-1/2 | 1.62 | 1.5  | 2.38 | 4.81 | 3.63 | 17000 |
| 1-3/4 | 2    | 1.75 | 2.88 | 5.75 | 4.19 | 25000 |
| 2     | 2.25 | 2    | 3.25 | 6.75 | 4.85 | 35000 |
| 2-1/2 | 2.75 | 2.62 | 4.13 | 8    | 5.69 | 50000 |

## US Type Bow Shackle




| Size  | M    | C    | W    | H    | F    | D    | WLL   |
|-------|------|------|------|------|------|------|-------|
| inch  | inch | inch | inch | inch | inch | inch | Kg    |
| 3/16  | 0.25 | 0.19 | 0.38 | 0.88 | 0.6  | 0.56 | 350   |
| 1/4   | 0.31 | 0.25 | 0.47 | 1.13 | 0.78 | 0.61 | 500   |
| 5/16  | 0.38 | 0.31 | 0.53 | 1.22 | 0.84 | 0.75 | 750   |
| 3/8   | 0.44 | 0.38 | 0.66 | 1.44 | 1.03 | 0.91 | 1000  |
| 7/16  | 0.5  | 0.44 | 0.75 | 1.69 | 1.16 | 1.06 | 1500  |
| 1/2   | 0.63 | 0.5  | 0.81 | 1.88 | 1.31 | 1.19 | 2000  |
| 5/8   | 0.75 | 0.63 | 1.06 | 2.38 | 1.69 | 1.5  | 3250  |
| 3/4   | 0.88 | 0.75 | 1.25 | 2.81 | 2    | 1.81 | 4750  |
| 7/8   | 1    | 0.88 | 1.44 | 3.3  | 2.28 | 2.09 | 6500  |
| 1     | 1.13 | 1    | 1.69 | 3.75 | 2.69 | 2.38 | 8500  |
| 1-1/8 | 1.25 | 1.13 | 1.81 | 4.25 | 2.91 | 2.69 | 9500  |
| 1-1/4 | 1.38 | 1.25 | 2.03 | 4.69 | 3.25 | 3    | 12000 |
| 1-3/8 | 1.5  | 1.38 | 2.25 | 5.25 | 3.63 | 3.31 | 13500 |
| 1-1/2 | 1.63 | 1.5  | 2.38 | 5.75 | 3.88 | 3.63 | 17000 |
| 1-3/4 | 2    | 1.75 | 2.88 | 7    | 5    | 4.19 | 25000 |
| 2     | 2.25 | 2    | 3.25 | 7.75 | 5.75 | 4.85 | 35000 |
| 2-1/2 | 2.75 | 2.62 | 4.13 | 10.5 | 7.25 | 5.69 | 50000 |

## Long D Shackle




| Size(M) | C  | H   | W  | D  | WLL |
|---------|----|-----|----|----|-----|
| mm      | mm | mm  | mm | mm | kg  |
| M4      | 4  | 30  | 8  | 8  | 60  |
| M5      | 5  | 37  | 10 | 10 | 80  |
| M6      | 6  | 45  | 12 | 12 | 100 |
| M8      | 8  | 60  | 16 | 16 | 200 |
| M10     | 10 | 75  | 20 | 20 | 320 |
| M12     | 12 | 90  | 24 | 24 | 520 |
| M14     | 14 | 105 | 28 | 28 | 700 |
| M16     | 16 | 120 | 32 | 32 | 800 |

Twisted Shackle




| Size(M) | C  | H    | W  | D  | WLL |
|---------|----|------|----|----|-----|
| mm      | mm | mm   | mm | mm | Kg  |
| M4      | 4  | 22   | 8  | 8  | 90  |
| M5      | 5  | 27.5 | 10 | 10 | 120 |
| M6      | 6  | 33   | 12 | 12 | 175 |
| M8      | 8  | 44   | 16 | 16 | 300 |
| M10     | 10 | 55   | 20 | 20 | 580 |
| M12     | 12 | 66   | 24 | 24 | 700 |

Fixed Snap Shackle




| Size(L) | A  | B  | WLL |
|---------|----|----|-----|
| mm      | mm | mm | kg  |
| 35      | 9  | 7  | 100 |
| 52      | 12 | 9  | 450 |
| 66      | 16 | 12 | 650 |
| 96      | 22 | 16 | 950 |

Swivel Snap Shackle(Jaw End)



| Size(L) | A  | B  | WLL |
|---------|----|----|-----|
| mm      | mm | mm | kg  |
| 70      | 16 | 12 | 450 |
| 87      | 20 | 16 | 650 |
| 128     | 28 | 23 | 950 |

Swivel Snap Shackle(Eye End)




| Size(L) | A  | B  | WLL |
|---------|----|----|-----|
| mm      | mm | mm | kg  |
| 70      | 16 | 12 | 450 |
| 87      | 20 | 16 | 650 |
| 128     | 28 | 23 | 950 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

## Simple Spring Hook




| Size(ΦA) | B   | C   | D  | F  | WLL  |
|----------|-----|-----|----|----|------|
| mm       | mm  | mm  | mm | mm | kg   |
| 6        | 32  | 60  | 9  | 12 | 70   |
| 8        | 45  | 80  | 12 | 17 | 125  |
| 10       | 57  | 100 | 15 | 23 | 200  |
| 12       | 68  | 120 | 18 | 28 | 300  |
| 14       | 79  | 140 | 21 | 32 | 450  |
| 16       | 91  | 160 | 24 | 37 | 800  |
| 18       | 102 | 180 | 27 | 47 | 1000 |
| 20       | 120 | 200 | 29 | 59 | 1200 |

## Swivel Eye Snap Hoop





| Size(L) | A    | F    | WLL |
|---------|------|------|-----|
| mm      | mm   | mm   | Kg  |
| 65      | 11.5 | 9.0  | 30  |
| 70      | 13.5 | 9.5  | 50  |
| 80      | 17.5 | 10   | 100 |
| 90      | 21.5 | 11.5 | 120 |
| 125     | 34   | 14   | 180 |

## Double End Snap Hook



| Size(L) | F  | WLL |
|---------|----|-----|
| mm      | mm | Kg  |
| 65      | 7  | 30  |
| 76      | 8  | 40  |
| 90      | 10 | 50  |
| 100     | 10 | 90  |
| 115     | 12 | 110 |

## Egg Shaped Spring Hook




| Size(L) | A    | B   | WLL |
|---------|------|-----|-----|
| mm      | mm   | mm  | kg  |
| 30      | 4.5  | 5.0 | 40  |
| 40      | 5.5  | 5.5 | 60  |
| 50      | 8.0  | 11  | 70  |
| 70      | 9.5  | 12  | 200 |
| 100     | 15.0 | 19  | 400 |

# SHANGHAI OUXIAN TRADING CO.,LTD



sales@sh-ouxian.com

## Swivel Snap Hook





| Size( $\Phi$ F) | L   | C  | B  | $\Phi$ G | S   | WLL |
|-----------------|-----|----|----|----------|-----|-----|
| mm              | mm  | mm | mm | mm       | mm  | kg  |
| 4(#0)           | 68  | 16 | 17 | 5        | 6.5 | 50  |
| 5(#1)           | 87  | 19 | 20 | 6        | 9   | 70  |
| 6(#2)           | 100 | 21 | 20 | 8        | 14  | 120 |
| 7(#3)           | 118 | 27 | 20 | 8        | 16  | 150 |

## Fixed Spring Hook



| Size( $\Phi$ A) | D  | L   | S  | WLL |
|-----------------|----|-----|----|-----|
| mm              | mm | mm  | mm | kg  |
| 4(#0)           | 10 | 53  | 7  | 50  |
| 5(#1)           | 16 | 72  | 11 | 70  |
| 6(#2)           | 19 | 83  | 13 | 120 |
| 7(#3)           | 22 | 100 | 16 | 150 |

## Carabiner Hook with Eyelet




| Size( $\Phi$ A) | B  | C   | D  | F  | WLL |
|-----------------|----|-----|----|----|-----|
| mm              | mm | mm  | mm | mm | kg  |
| 4               | 20 | 40  | 5  | 7  | 40  |
| 5               | 25 | 50  | 5  | 7  | 50  |
| 6               | 30 | 60  | 5  | 8  | 70  |
| 7               | 35 | 70  | 7  | 8  | 100 |
| 8               | 40 | 80  | 10 | 9  | 125 |
| 9               | 45 | 90  | 10 | 10 | 140 |
| 10              | 50 | 100 | 13 | 11 | 200 |
| 11              | 57 | 120 | 13 | 16 | 250 |
| 12              | 67 | 140 | 15 | 19 | 300 |
| 13              | 74 | 160 | 17 | 25 | 350 |
| 14              | 86 | 180 | 17 | 35 | 450 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

**Egg Type Snap Hook**




| Size( $\Phi$ A) | B  | C   | F  | WLL |
|-----------------|----|-----|----|-----|
| mm              | mm | mm  | mm | kg  |
| 5               | 25 | 50  | 7  | 50  |
| 6               | 30 | 60  | 8  | 70  |
| 7               | 35 | 70  | 8  | 100 |
| 8               | 40 | 80  | 9  | 125 |
| 9               | 45 | 90  | 10 | 140 |
| 10              | 50 | 100 | 11 | 200 |
| 11              | 57 | 120 | 16 | 250 |
| 12              | 67 | 140 | 19 | 300 |

**Carabiner Hook**



| Size( $\Phi$ A) | B  | C   | D  | F  | WLL |
|-----------------|----|-----|----|----|-----|
| mm              | mm | mm  | mm | mm | kg  |
| 4               | 20 | 40  | 7  | 7  | 40  |
| 5               | 25 | 50  | 8  | 7  | 50  |
| 6               | 30 | 60  | 9  | 8  | 70  |
| 7               | 35 | 70  | 10 | 8  | 100 |
| 8               | 40 | 80  | 12 | 9  | 125 |
| 9               | 45 | 90  | 12 | 10 | 140 |
| 10              | 50 | 100 | 15 | 11 | 200 |
| 11              | 57 | 120 | 18 | 16 | 250 |
| 12              | 67 | 140 | 20 | 19 | 300 |
| 13              | 74 | 160 | 22 | 25 | 350 |
| 14              | 86 | 180 | 22 | 35 | 450 |

**Carabiner Hook with Screw Nuk**




| Size( $\Phi$ A) | B  | C   | D  | F  | WLL |
|-----------------|----|-----|----|----|-----|
| mm              | mm | mm  | mm | mm | kg  |
| 4               | 20 | 40  | 7  | 7  | 40  |
| 5               | 25 | 50  | 8  | 7  | 50  |
| 6               | 30 | 60  | 9  | 8  | 70  |
| 7               | 35 | 70  | 10 | 8  | 100 |
| 8               | 40 | 80  | 12 | 9  | 125 |
| 9               | 45 | 90  | 12 | 10 | 140 |
| 10              | 50 | 100 | 15 | 11 | 200 |
| 11              | 57 | 120 | 18 | 16 | 250 |
| 12              | 67 | 140 | 20 | 19 | 300 |
| 13              | 74 | 160 | 22 | 25 | 350 |
| 14              | 86 | 180 | 22 | 35 | 450 |

# SHANGHAI OUXIAN TRADING CO.,LTD



sales@sh-ouxian.com

## Big Eye Cargo Hook





| Size(D) | B  | D    | L   | F  | WLL |
|---------|----|------|-----|----|-----|
| \       | mm | mm   | mm  | mm | kg  |
| 0.2T    | 46 | 18.5 | 92  | 15 | 200 |
| 0.3T    | 50 | 19.5 | 102 | 17 | 300 |
| 0.5T    | 57 | 28   | 119 | 18 | 500 |

## S320 Cargo Hook



| Size(D) | A    | B     | C    | D    | WLL  |
|---------|------|-------|------|------|------|
| \       | mm   | mm    | mm   | mm   | kg   |
| 0.5T    | 16.5 | 90    | 16   | 8    | 500  |
| 0.75T   | 18.5 | 101.5 | 18.5 | 9    | 750  |
| 1.0T    | 23   | 114.5 | 21   | 11   | 1000 |
| 1.5T    | 28   | 129.5 | 21.5 | 12   | 1500 |
| 2.0T    | 32   | 153   | 26   | 15   | 2000 |
| 3.0T    | 38   | 182.5 | 31.5 | 17.5 | 3000 |

## Eye Swivel Crane Hook




| Size(D) | A    | B    | C    | D   | WLL  |
|---------|------|------|------|-----|------|
| inch    | mm   | mm   | mm   | mm  | kg   |
| 3/16    | 15.8 | 17.6 | 11   | 90  | 150  |
| 1/4     | 22   | 23.9 | 16.9 | 114 | 350  |
| 5/16    | 27   | 26.7 | 20.5 | 138 | 650  |
| 3/8     | 28.5 | 32.8 | 23.5 | 158 | 1000 |
| 1/2     | 36   | 37.8 | 31   | 190 | 1500 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

## DIN741 Wire Rope Clipse





| (ΦS) | A   | C  | H    | L    |
|------|-----|----|------|------|
| mm   | mm  | mm | mm   | mm   |
| 2    | M3  | 17 | 9.5  | 21   |
| 3    | M4  | 21 | 10   | 21   |
| 4    | M4  | 21 | 10   | 23.5 |
| 5    | M5  | 23 | 10   | 26   |
| 6    | M5  | 25 | 11   | 29   |
| 8    | M6  | 29 | 14   | 33   |
| 10   | M8  | 33 | 16.5 | 43   |
| 12   | M10 | 40 | 18   | 50   |
| 16   | M12 | 49 | 25   | 65   |
| 18   | M12 | 52 | 30   | 77   |
| 20   | M12 | 52 | 30   | 77   |
| 22   | M14 | 60 | 34   | 88   |
| 24   | M14 | 67 | 34   | 86   |

## JIS Wire Rope Clip



| (ΦS) | A  | B    | H    | D   | L    | W    |
|------|----|------|------|-----|------|------|
| mm   | mm | mm   | mm   | mm  | mm   | mm   |
| 2    | 15 | 12   | 9    | M3  | 20   | 8    |
| 3    | 16 | 14   | 12   | M4  | 21   | 8    |
| 4    | 17 | 15.5 | 11.5 | M4  | 22   | 8    |
| 5    | 23 | 18.5 | 14   | M5  | 28.5 | 12   |
| 6    | 27 | 20.5 | 17   | M6  | 33   | 14.5 |
| 8    | 34 | 27   | 20   | M8  | 40   | 17.5 |
| 10   | 43 | 33.5 | 23   | M10 | 50   | 21   |
| 12   | 50 | 37.5 | 26.5 | M12 | 63.4 | 25.5 |
| 14   | 52 | 42   | 31   | M12 | 68   | 28.5 |
| 16   | 59 | 45   | 36.5 | M14 | 70   | 32   |

## US Malleable Wire Rope Clip




| (ΦS) | A    | B    | H    | D    | G    | W    |
|------|------|------|------|------|------|------|
| inch | mm   | mm   | mm   | inch | mm   | mm   |
| 1/8  | 22   | 13   | 11   | 3/16 | 20   | 11   |
| 3/16 | 26   | 15   | 13   | 1/4  | 24   | 14.5 |
| 1/4  | 32   | 18   | 15   | 5/16 | 31.5 | 17   |
| 5/16 | 35   | 18   | 16   | 5/16 | 34   | 18.5 |
| 3/8  | 40.5 | 20   | 22   | 3/8  | 42   | 22.5 |
| 7/16 | 43   | 20   | 22   | 3/8  | 43   | 24   |
| 1/2  | 49   | 24.5 | 22.5 | 1/2  | 54   | 27   |
| 9/16 | 52.5 | 24.5 | 27   | 1/2  | 55   | 30   |
| 5/8  | 57.5 | 26   | 28   | 1/2  | 60   | 33   |
| 3/4  | 61   | 30.5 | 34   | 9/16 | 69   | 34.5 |
| 7/8  | 71   | 37   | 38   | 5/8  | 78   | 41   |
| 1    | 77.5 | 42   | 43   | 5/8  | 87.5 | 45.5 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

## US Forging Wire Rope Clip





| Size(ΦS) | A  | B  | D    | H  | W  | L   |
|----------|----|----|------|----|----|-----|
| in       | mm | mm | in   | mm | mm | mm  |
| 1/8      | 23 | 20 | 3/16 | 10 | 12 | 22  |
| 3/16     | 29 | 23 | 1/4  | 12 | 15 | 24  |
| 1/4      | 36 | 30 | 5/16 | 16 | 19 | 33  |
| 5/16     | 43 | 33 | 3/8  | 18 | 22 | 45  |
| 3/8      | 49 | 41 | 7/16 | 23 | 25 | 49  |
| 1/2      | 58 | 48 | 1/2  | 28 | 30 | 59  |
| 9/16     | 63 | 52 | 9/16 | 31 | 33 | 71  |
| 5/8      | 63 | 52 | 9/16 | 34 | 33 | 74  |
| 3/4      | 72 | 57 | 5/8  | 35 | 38 | 86  |
| 7/8      | 80 | 62 | 3/4  | 40 | 44 | 98  |
| 1        | 88 | 66 | 3/4  | 45 | 47 | 105 |

## European Type Thimble



| Size(ΦA) | B  | C    | H    | S   | L   |
|----------|----|------|------|-----|-----|
| mm       | mm | mm   | mm   | mm  | mm  |
| 2        | 14 | 7    | 11.5 | 0.8 | 20  |
| 3        | 16 | 10   | 16   | 0.8 | 23  |
| 4        | 18 | 11   | 17   | 1   | 25  |
| 5        | 22 | 12.5 | 20   | 1   | 32  |
| 6        | 25 | 14   | 22   | 1   | 37  |
| 8        | 34 | 18   | 29   | 1.5 | 48  |
| 10       | 43 | 24   | 37   | 1.5 | 56  |
| 12       | 48 | 27.5 | 42   | 1.5 | 67  |
| 14       | 50 | 33   | 50   | 2   | 72  |
| 16       | 64 | 38   | 55   | 2   | 85  |
| 18       | 68 | 41   | 61   | 2.5 | 93  |
| 20       | 72 | 43   | 65   | 2.5 | 101 |
| 22       | 77 | 43   | 67   | 2.5 | 106 |
| 24       | 77 | 49   | 73   | 2.5 | 110 |
| 26       | 80 | 53   | 80   | 3   | 120 |
| 28       | 90 | 55   | 85   | 3   | 130 |
| 32       | 94 | 62   | 90   | 3   | 134 |

## US Thin Type Thimble




| Size(ΦA) | B    | C    | H    | S    | L    |
|----------|------|------|------|------|------|
| inch     | inch | inch | inch | inch | inch |
| 1/8      | 1.31 | 0.69 | 1.06 | 0.05 | 1.94 |
| 3/16     | 1.31 | 0.69 | 1.06 | 0.05 | 1.94 |
| 1/4      | 1.31 | 0.69 | 1.06 | 0.05 | 1.94 |
| 5/16     | 1.5  | 0.81 | 1.25 | 0.05 | 2.13 |
| 3/8      | 1.63 | 0.94 | 1.47 | 0.06 | 2.38 |
| 1/2      | 1.88 | 1.13 | 1.75 | 0.08 | 2.75 |
| 5/8      | 2.25 | 1.38 | 2.38 | 0.13 | 3.5  |
| 3/4      | 2.5  | 1.63 | 2.69 | 0.14 | 3.75 |
| 7/8      | 3.5  | 1.88 | 3.19 | 0.16 | 5    |
| 1        | 4.25 | 2.5  | 3.75 | 0.16 | 6.69 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

## US Heavy Type Thimble




| Rope( $\Phi$ A) | B    | C    | H    | S    | L    |
|-----------------|------|------|------|------|------|
| inch            | inch | inch | inch | inch | inch |
| 1/4             | 1.63 | 0.88 | 1.5  | 0.06 | 2.19 |
| 5/16            | 1.88 | 1.06 | 1.81 | 0.08 | 2.5  |
| 3/8             | 2.13 | 1.13 | 2.13 | 0.11 | 2.88 |
| 7/16            | 2.38 | 1.25 | 2.38 | 0.13 | 3.25 |
| 1/2             | 2.75 | 1.5  | 2.75 | 0.14 | 3.63 |
| 9/16            | 2.75 | 1.5  | 2.69 | 0.14 | 3.63 |
| 5/8             | 3.25 | 1.75 | 3.13 | 0.16 | 4.25 |
| 3/4             | 3.75 | 2    | 3.81 | 0.22 | 5    |
| 7/8             | 4.25 | 2.25 | 4.25 | 0.22 | 5.5  |
| 1               | 4.5  | 2.5  | 4.94 | 0.25 | 6.13 |

## Diamond Eye Plate




| Size( $\Phi$ D) | A   | B  | d   | W  | H  | T   |
|-----------------|-----|----|-----|----|----|-----|
| mm              | mm  | mm | mm  | mm | mm | mm  |
| 5               | 60  | 36 | 4.2 | 16 | 13 | 2.5 |
| 6               | 65  | 40 | 5.2 | 19 | 16 | 2.5 |
| 8               | 80  | 50 | 6.2 | 22 | 19 | 2.8 |
| 10              | 100 | 60 | 6.2 | 26 | 23 | 3.8 |

## Diamond Eye Plate with Ring



| Size( $\Phi$ D) | A   | B  | d   | W  | H  | T   | L  |
|-----------------|-----|----|-----|----|----|-----|----|
| mm              | mm  | mm | mm  | mm | mm | mm  | mm |
| 5               | 60  | 36 | 4.2 | 16 | 13 | 2.5 | \  |
| 6               | 65  | 40 | 5.2 | 19 | 16 | 2.5 | \  |
| 8               | 80  | 50 | 6.2 | 22 | 19 | 2.8 | \  |
| 10              | 100 | 60 | 6.2 | 26 | 23 | 3.8 | \  |

## Square Eye Plate




| Size( $\Phi$ D) | A  | B  | d   | W    | H  | T   |
|-----------------|----|----|-----|------|----|-----|
| mm              | mm | mm | mm  | mm   | mm | mm  |
| 4               | 25 | 28 | 3   | 11.5 | 10 | 2   |
| 5               | 30 | 35 | 4.2 | 12   | 12 | 2.5 |
| 6               | 35 | 40 | 5.2 | 17   | 17 | 2.5 |
| 8               | 40 | 50 | 6.2 | 20   | 21 | 2.8 |
| 10              | 42 | 58 | 6.2 | 28   | 24 | 3.8 |
| 12              | 54 | 75 | 8.2 | 36   | 31 | 4.8 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

**Square Eye Plate with Ring**




| Size(ΦD) | A  | B  | d   | W    | H  | T   | L  |
|----------|----|----|-----|------|----|-----|----|
| mm       | mm | mm | mm  | mm   | mm | mm  | mm |
| 4        | 25 | 28 | 3   | 11.5 | 10 | 2   | \  |
| 5        | 30 | 35 | 4.2 | 14   | 12 | 2.5 | \  |
| 6        | 35 | 40 | 5.2 | 16   | 17 | 2.5 | \  |
| 8        | 40 | 50 | 6.2 | 20   | 22 | 2.8 | \  |
| 10       | 42 | 58 | 6.2 | 28   | 24 | 3.8 | \  |
| 12       | 54 | 75 | 8.2 | 36   | 31 | 4.8 | \  |

**Oval Eye Plate**




| Size(ΦD) | A  | B   | d   | W    | H  | T   |
|----------|----|-----|-----|------|----|-----|
| mm       | mm | mm  | mm  | mm   | mm | mm  |
| 3        | 9  | 27  | 2.2 | 9.5  | 7  | 1.8 |
| 4        | 12 | 36  | 3.2 | 12.5 | 10 | 1.8 |
| 5        | 15 | 45  | 4.2 | 14   | 13 | 2.5 |
| 6        | 20 | 60  | 5.2 | 18   | 19 | 2.5 |
| 8        | 25 | 80  | 6.2 | 20   | 22 | 2.8 |
| 9        | 32 | 100 | 6.5 | 22   | 26 | 2.8 |

**Oval Eye Plate with Ring**



| Size(ΦD) | A  | B   | d   | W    | H  | T   | L  |
|----------|----|-----|-----|------|----|-----|----|
| mm       | mm | mm  | mm  | mm   | mm | mm  | mm |
| 3        | 9  | 27  | 2.2 | 9.5  | 7  | 1.8 | \  |
| 4        | 12 | 36  | 3.2 | 12.5 | 10 | 1.8 | \  |
| 5        | 15 | 45  | 4.2 | 14   | 13 | 2.5 | \  |
| 6        | 20 | 60  | 5.2 | 18   | 19 | 2.5 | \  |
| 8        | 25 | 80  | 6.2 | 20   | 22 | 2.8 | \  |
| 9        | 32 | 100 | 6.5 | 22   | 26 | 2.8 | \  |

**Round Eye Plate**




| Size(ΦD) | A  | H  | W  | T   | d   |
|----------|----|----|----|-----|-----|
| mm       | mm | mm | mm | mm  | mm  |
| 5        | 33 | 12 | 12 | 2.5 | 4.2 |
| 6        | 40 | 17 | 17 | 2.5 | 5.2 |
| 8        | 50 | 21 | 20 | 2.8 | 6.2 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

## Round Eye Plate




| Size(ΦD) | A  | H  | W  | T   | d   | L  |
|----------|----|----|----|-----|-----|----|
| mm       | mm | mm | mm | mm  | mm  | mm |
| 5        | 33 | 12 | 12 | 2.5 | 4.2 | \  |
| 6        | 40 | 17 | 17 | 2.5 | 5.2 | \  |
| 8        | 50 | 21 | 20 | 2.8 | 6.2 | \  |

## European Turnbuckle(Eye&Hook)




| Size(A) | B   | F  | S  | WLL  |
|---------|-----|----|----|------|
| mm      | mm  | mm | mm | kg   |
| M4      | 58  | 8  | 7  | 25   |
| M5      | 70  | 9  | 8  | 40   |
| M6      | 90  | 10 | 9  | 100  |
| M8      | 120 | 14 | 13 | 200  |
| M10     | 150 | 16 | 15 | 300  |
| M12     | 200 | 18 | 15 | 500  |
| M16     | 250 | 21 | 20 | 800  |
| M20     | 300 | 25 | 22 | 1200 |

## European Turnbuckle(Eye&Eye)



| Size(A) | B   | F  | WLL  |
|---------|-----|----|------|
| mm      | mm  | mm | kg   |
| M4      | 58  | 8  | 25   |
| M5      | 70  | 9  | 40   |
| M6      | 90  | 10 | 100  |
| M8      | 120 | 14 | 200  |
| M10     | 150 | 16 | 300  |
| M12     | 200 | 18 | 500  |
| M16     | 250 | 21 | 800  |
| M20     | 300 | 25 | 1200 |

## European Turnbuckle(Hook&Hook)




| Size(A) | B   | S  | WLL  |
|---------|-----|----|------|
| mm      | mm  | mm | kg   |
| M4      | 58  | 7  | 25   |
| M5      | 70  | 8  | 40   |
| M6      | 90  | 9  | 100  |
| M8      | 120 | 13 | 200  |
| M10     | 150 | 15 | 300  |
| M12     | 200 | 15 | 500  |
| M16     | 250 | 20 | 800  |
| M20     | 300 | 22 | 1200 |


# SHANGHAI OUXIAN TRADING CO.,LTD

sales@sh-ouxian.com


**US**  
**Turnbuckle(Jaw&Jaw)**



**US**  
**Turnbuckle(Eye&Jaw)**



**US**  
**Turnbuckle(Eye&Eye)**




| Size       | A    | G    | J     | M     | N     | BB   | WLL   |
|------------|------|------|-------|-------|-------|------|-------|
| inch       | inch | inch | inch  | inch  | inch  | inch | lbs   |
| 1/4×4      | 0.25 | 0.62 | 10.9  | 11.9  | 7.9   | 4    | 500   |
| 5/16×4-1/2 | 0.31 | 0.87 | 12.36 | 13.9  | 9.4   | 4.5  | 800   |
| 3/8×6      | 0.38 | 0.87 | 16.14 | 17.38 | 11.38 | 6    | 1200  |
| 1/2×6      | 0.5  | 1.06 | 17.5  | 19    | 13    | 6    | 2200  |
| 1/2×9      | 0.5  | 1.06 | 23.5  | 25    | 16    | 9    | 2200  |
| 1/2×12     | 0.5  | 1.06 | 29.5  | 31    | 19    | 12   | 2200  |
| 5/8×6      | 0.63 | 1.31 | 18.8  | 20.88 | 14.88 | 6    | 3500  |
| 5/8×9      | 0.63 | 1.31 | 24.8  | 26.88 | 17.88 | 9    | 3500  |
| 5/8×12     | 0.63 | 1.31 | 30.8  | 32.88 | 20.88 | 12   | 3500  |
| 3/4×6      | 0.75 | 1.5  | 20    | 22.6  | 16.6  | 6    | 5200  |
| 3/4×9      | 0.75 | 1.5  | 26    | 28.6  | 19.6  | 9    | 5200  |
| 3/4×12     | 0.75 | 1.5  | 32    | 34.6  | 22.6  | 12   | 5200  |
| 3/4×18     | 0.75 | 1.5  | 44    | 46.6  | 28.6  | 18   | 5200  |
| 7/8×12     | 0.88 | 1.75 | 33.36 | 36.32 | 24.32 | 12   | 7200  |
| 7/8×18     | 0.88 | 1.75 | 43.36 | 48.32 | 30.32 | 18   | 7200  |
| 1×6        | 1    | 2.06 | 22.72 | 26.06 | 20.06 | 6    | 10000 |
| 1×12       | 1    | 2.06 | 34.72 | 38.06 | 26.06 | 12   | 10000 |
| 1×18       | 1    | 2.06 | 46.72 | 50.06 | 32.06 | 18   | 10000 |
| 1×24       | 1    | 2.06 | 58.72 | 62.06 | 38.06 | 24   | 10000 |
| 1-1/4×12   | 1.25 | 2.81 | 37.34 | 41.54 | 29.54 | 12   | 15200 |
| 1-1/4×18   | 1.25 | 2.81 | 49.34 | 53.54 | 35.54 | 18   | 15200 |
| 1-1/4×24   | 1.25 | 2.81 | 61.34 | 65.54 | 41.54 | 24   | 15200 |
| 1-1/2×12   | 1.5  | 2.81 | 38.5  | 43.5  | 31.5  | 12   | 21400 |
| 1-1/2×18   | 1.5  | 2.81 | 50.5  | 55.5  | 37.5  | 18   | 21400 |
| 1-1/2×24   | 1.5  | 2.81 | 62.5  | 67.5  | 43.5  | 24   | 21400 |
| 1-3/4×18   | 1.75 | 3.38 | 53.38 | 59.18 | 41.18 | 18   | 28000 |
| 1-3/4×24   | 1.75 | 3.38 | 65.38 | 71.18 | 47.18 | 24   | 28000 |
| 2×24       | 2    | 3.69 | 69.54 | 76.72 | 52.12 | 24   | 37000 |
| 2-1/2×24   | 2.5  | 4.44 | 72.98 | 82.18 | 58.18 | 24   | 60000 |
| 2-3/4×24   | 2.75 | 4.19 | 74.75 | 85.5  | 61.5  | 24   | 75000 |

# SHANGHAI OUXIAN TRADING CO.,LTD

sales@sh-ouxian.com


## JIS

### Turnbuckle(Eye&Hook)




| Size(A) | B   | L   | F  | S   | WLL  |
|---------|-----|-----|----|-----|------|
| mm      | mm  | mm  | mm | mm  | kg   |
| M4      | 56  | 100 | 7  | 6.5 | 25   |
| M5      | 70  | 115 | 8  | 9   | 40   |
| M6      | 90  | 145 | 10 | 10  | 100  |
| M8      | 120 | 185 | 14 | 11  | 200  |
| M10     | 150 | 230 | 16 | 12  | 300  |
| M12     | 200 | 290 | 18 | 14  | 500  |
| M16     | 250 | 375 | 26 | 16  | 800  |
| M20     | 300 | 450 | 30 | 18  | 1200 |

### 1480Turnbuckle(Hook &Hook)



| Size | L   | L1  | D  | S  | WLL |
|------|-----|-----|----|----|-----|
| mm   | mm  | mm  | mm | mm | Kg  |
| M5   | 70  | 115 | 8  | 7  | 40  |
| M6   | 110 | 155 | 10 | 9  | 70  |
| M8   | 110 | 180 | 12 | 10 | 140 |
| M10  | 125 | 200 | 16 | 11 | 170 |
| M12  | 125 | 220 | 18 | 14 | 240 |
| M16  | 170 | 320 | 22 | 18 | 450 |
| M20  | 200 | 370 | 25 | 20 | 680 |

### European closed Body Turnbuckle




| Size(A) | W    | B   | ΦD | WLL  |
|---------|------|-----|----|------|
| mm      | mm   | mm  | mm | kg   |
| M5      | 7.5  | 80  | 5  | 250  |
| M6      | 8    | 95  | 6  | 350  |
| M8      | 11   | 105 | 8  | 700  |
| M10     | 12   | 125 | 9  | 1000 |
| M12     | 15   | 150 | 12 | 1500 |
| M14     | 15   | 165 | 14 | 1600 |
| M16     | 17.5 | 190 | 16 | 2300 |
| M20     | 19.5 | 210 | 19 | 3000 |

# SHANGHAI OUXIAN TRADING CO.,LTD


sales@sh-ouxian.com

**Circular  
Ring**





| Size                 | ΦS | W  | H  |
|----------------------|----|----|----|
| mm                   | mm | mm | mm |
| 3*25                 | 3  | 25 | 22 |
| 4*30                 | 4  | 30 | 27 |
| 5*40                 | 5  | 40 | 37 |
| 6*40                 | 6  | 40 | 37 |
| 8*50                 | 8  | 50 | 47 |
| 10*50                | 10 | 50 | 47 |
| Accept customization | /  | /  | /  |

**Triangle  
Ring**





| Size                 | Φd | A  |
|----------------------|----|----|
| mm                   | mm | mm |
| 3*30                 | 3  | 30 |
| 4*40                 | 4  | 40 |
| 5*40                 | 5  | 40 |
| 6*45                 | 6  | 45 |
| 6*50                 | 6  | 50 |
| 8*45                 | 8  | 45 |
| Accept customization | /  | /  |

**D Ring**



| Size                 | ΦS | W  | H  |
|----------------------|----|----|----|
| mm                   | mm | mm | mm |
| 3*25                 | 3  | 25 | 22 |
| 4*30                 | 4  | 30 | 27 |
| 5*40                 | 5  | 40 | 37 |
| 6*50                 | 6  | 50 | 47 |
| 8*50                 | 8  | 50 | 47 |
| 10*50                | 10 | 50 | 47 |
| Accept customization | /  | /  | /  |

**Camelback**




| Size(ΦD) | A   | H    | L  |
|----------|-----|------|----|
| mm       | mm  | mm   | mm |
| 4        | 3.2 | 16   | 32 |
| 5        | 4.2 | 17.5 | 40 |
| 6        | 5.2 | 22.5 | 45 |
| 8        | 5.2 | 23   | 50 |
| 10       | 8.2 | 28   | 62 |


# SHANGHAI OUXIAN TRADING CO.,LTD

sales@sh-ouxian.com


## Shade Sail Accessories




| Size(A)              | B   | F  | S  | WLL |
|----------------------|-----|----|----|-----|
| mm                   | mm  | mm | mm | kg  |
| M5                   | 70  | 9  | 8  | 40  |
| M6                   | 90  | 10 | 9  | 100 |
| M8                   | 120 | 14 | 13 | 200 |
| Accept customization |     |    |    |     |



| Size(ΦD)             | A  | B  | d   | W  | H  | T   |
|----------------------|----|----|-----|----|----|-----|
| mm                   | mm | mm | mm  | mm | mm | mm  |
| 5                    | 60 | 36 | 4.2 | 16 | 13 | 2.5 |
| 6                    | 65 | 40 | 5.2 | 19 | 16 | 2.5 |
| 8                    | 80 | 50 | 6.2 | 22 | 19 | 2.8 |
| Accept customization |    |    |     |    |    |     |



| Size(ΦA)             | B  | C  | D  | F  | WLL |
|----------------------|----|----|----|----|-----|
| mm                   | mm | mm | mm | mm | kg  |
| 5                    | 25 | 50 | 8  | 7  | 50  |
| 6                    | 30 | 60 | 9  | 8  | 70  |
| 8                    | 40 | 80 | 12 | 9  | 125 |
| Accept customization |    |    |    |    |     |



| Size(ΦA)             | A  | B  |
|----------------------|----|----|
| mm                   | mm | mm |
| 5                    | 4  | 40 |
| 6                    | 4  | 40 |
| 8                    | 5  | 40 |
| Accept customization |    |    |